

Ocean Pacific® NeoNatural

Polychloroprene Medical Examination Gloves

NAILED IT

Get the best of both worlds.

Combines the softness of latex with the strength of nitrile for reliable protection without sacrificing comfort or dexterity.



1228 A-E (XS-XL)
4 mils¹, 6 g
100 gloves/box; 10 boxes/case

2+1

SafeMask® SofSkin

Procedure Earloop Face Masks

Welcome to the SafeMask SofSkin collection.



2+1 SAFEMASK SOFSKIN COLLECTION

SafeMask® SofSkin ClearFit **NEW**

Skin-friendly material + a chin piece + integrated fog-free strip to prevent fogging of eyewear and loupes.

ASTM LEVEL 3

220014 White

50 masks/box; 10 boxes/case

SafeMask® SofSkin Fit **NEW**

Skin-friendly material + a chin piece providing an even more personalized fit that conforms to each individual face shape.

ASTM LEVEL 3

219914 White

50 masks/box; 10 boxes/case

SafeMask® SofSkin

Skin-friendly, ultra-soft, and dye-free material made especially for sensitive skin.

ASTM LEVEL 3

2086 White

2088 Pink

2087 Blue

2089 Lavender

50 masks/box; 10 boxes/case

Also available in ASTM level 1.



AssureCheck™ Biological Indicators **NEW**

Test. Incubate. Validate.



**AssureCheck™
Dry Block Incubator
ST1000**
1 unit/box

**Buy 1, get
1 free box
of ST1010**

**AssureCheck™ 10HR
Biological Indicator
ST1010**
25 units/box

2+1



**AssureCheck™
Smart Incubator
ST2000**
1 unit/box

**Buy 1, get
1 free box
of ST1020**



**AssureCheck™ Rapid
20 min Biological
Indicator
ST1020**
25 units/box

4+1

NEW

AssureCheck™ Chemical Indicators



**AssureCheck™ Chemical
Integrator (Type 5)
ST0005**
250 units/box

2+1



**AssureCheck™ Multivariable
Chemical Indicator (Type 4)
ST0004**
250 units/box

2+1

SafeMatrix®

Single-Use Matrix Band

Make reprocessing
and assembling matrix
bands a thing of the past.

Contour (metal)

- 30060** Narrow 4.5 mm
- 30055** Wide 6 mm

Also available in straight bands.

Clear Contour (mylar)

- 30065** Narrow 4.5 mm
- 30066** Wide 6 mm

50 units/box; 8 boxes/case



3+1

Hedy™ Dental Dam

Polyisoprene

Elongation up to 1230%.
Premium, tear-resistant,
non-latex, powder-free.

- 320DNB-5M** 5 x 5" - Medium
- 320DNB-5H** 5 x 5" - Heavy
- 320DNB-6M** 6 x 6" - Medium
- 320DNB-6H** 6 x 6" - Heavy

30 units/box

4+1



AssureTouch® Ultra **NEW**

Nitrile Medical Examination Gloves

Ultra light.
Ultra performance.

4+1

9940 A-E (XS-XL)
2.3 mil¹, 3 g
200 gloves/box; 10 boxes/case



Free goods promo items shipped with order. No mix and match. Cannot be combined with other offers or promotions.
¹Mils are measured at the palm and estimated based on a range of measurement. Medicom reserves the right to modify pricing and/or promotions at any time and without prior notice.

SafeMask® **NEW** Curve

Procedure Earloop Face Masks

Contoured fit ensures breathability and more complete coverage.



ASTM LEVEL 3

□ 220114

■ 220115

25 masks/box; 8 boxes/case

2+1

SafeMask® **NEW** Vision

Procedure Earloop Face Masks

Speak. See. Connect.



ASTM LEVEL 3

□ 221514

50 masks/box; 10 boxes/case

2+1

SafeMask® **NEW** Artisan

Procedure Earloop Face Masks

Unique ultra-lightweight PTFE filtration membrane.



ASTM LEVEL 3

□ 221414

■ 221492

■ 221415

50 masks/box; 10 boxes/case

221415 also available in ASTM level 2.

2+1

SafeMask® Master Series

Procedure Earloop Face Masks

Luxurious softness and breathability.



ASTM LEVEL 3

■ 2057

■ 2058

■ 2059

50 masks/box; 10 boxes/case
Also available in ASTM levels 1 & 2.

8+2

SafeMask® Classics

Procedure Earloop Face Masks

Reliable respiratory protection at a surprisingly low price.



ASTM LEVEL 3

□ 205314

■ 205317

■ 205315

■ 205316

50 masks/box; 10 boxes/case
Also available in ASTM levels 1 & 2.

7+3

SafeMask® FreeFlow

Procedure Earloop Face Masks

Integrated strip prevents eyewear from fogging.



ASTM LEVEL 3

□ 200514

■ 200511

■ 200515

■ 200516

50 masks/box; 10 boxes/case.
Also available in ASTM levels 1 & 2.

8+2

SafeWear® Hipster Jacket

Premium Protective Apparel

Protection and style featuring knitted cuffs and collar.

4+1

■ 8101 (XS-F) Deep Blue

■ 8102 (A-D) Pretty Pink

■ 8103 (XS-D) Plum Purple

■ 8104 (A-D) Soft Blue

□ 8105 (A-D) White Frost

■ 8115 (A-D) Tropical Teal

■ 8116 (A-D) Poppy Pink

■ 8118 (A-D) Jet Black

12 units/bag. Also available in labcoat.



Duraflor® Ultra

5%
sodium
fluoride
varnish

**Fast-acting, great tasting,
dries clear.**

Clinically proven for effective treatment of hypersensitivity. Dentist and patient preferred ready-to-use and easy-to-apply, non-clumping formula. Does not contain gluten, peanuts, tree nuts, soy, sesame, corn, shellfish, egg or dairy products. Sweetened with xylitol.

- **1016-ST30** Strawberry
- **1016-M30** Mint
- **1016-CH30** Cherry
- **1016-BG30** Bubble gum

0.4 ml x 30 units/box
Promotion also applicable on 200 units/box

4+1

Made in
USA



Learn more about
**effective fluoride
release.**

SafeBasics® Headrest Covers

Tissue/Poly

**Fluid repellent and breathable.
Protect chair materials.**

- **3015** Blue
- **3016** Dusty Rose
- **3020** Lavender
- 3014** White

10 x 10" | 500 units/case
Also available in 10 x 13".

3+1



DentiCare® Pro-Polish

Prophylaxis Paste with Fluoride

**Low splatter and easy to rinse
in flavors patients will enjoy.**

- **10047-FBGUN** Fine, Bubble Gum
- **10047-MCHUN** Medium, Cherry
- **10047-MMUN** Medium, Mint
- **10047-CMUN** Coarse, Mint
- **10047-CRBUN** Coarse, Raspberry

2 g/unit dose; 200/box; Promotion also applicable on jars.



4+1

SafeBasics® Bibs

Durable, highly absorbent bibs

**Unique water-repellent edge
and strong, tear-resistant
plastic backing for reliable
protection against fluids.**

- **8289** Aqua
- **8287** Beige
- **8282** Blue
- **8285** Green

13 x 18" | 500 units/case
Available in 2- and 3-ply,
in 11 colors.



3+1

Duraflor® Halo

White 5% Sodium Fluoride Varnish

Dries to natural white colour.



- **1015-WB32** Wild Berry
- **1015-SM32** Spearmint

32 units/box
Also available in 250 units/box.

2+1



FORM AND FUNCTION



Quality masks for each individual need



FOR THOSE WHO ENSURE HEALTH AND CREATE BEAUTIFUL SMILES

Our proven, high quality, single-use infection prevention and control solutions for PPE, sterilization, office essentials, and preventive care are thoughtfully designed for simplicity and comfort without compromise to safety and clinical efficacy.

Making each day in your practice a little easier.

Founded in 1988 in response to the critical demand for high-quality medical gloves during the global HIV crisis, Medicom has consistently been at the forefront of infection prevention and control innovation.

Drawing on over 35 years of expertise, we have continuously evolved our mask technology and designs to better meet the wide array of individual needs and preferences.

Explore our extensive mask portfolio today and experience the difference that quality, innovation, and fit can make in ensuring your safety and comfort.



CHOOSING THE RIGHT MASK

Protection and comfort

The ASTM standard F2100-23 classifies masks into three levels based on their bacterial filtration efficiency (BFE), sub-micron particulate filtration efficiency (PFE), fluid resistance and breathability (differential pressure).

	Low Barrier ASTM Level 1	Moderate Barrier ASTM Level 2	High Barrier ASTM Level 3
BFE, at 3 microns	≥ 95%	≥ 98%	≥ 98%
PFE, at 0.075 micron	≥80%	≥ 85%	≥ 85%
Fluid Resistance	≥80 mm Hg	≥120 mm Hg	≥160 mm Hg
Differential pressure	< 5.0 mm H ₂ O/cm ²	< 6.0 mm H ₂ O/cm ²	< 6.0 mm H ₂ O/cm ²
Flammability	Class 1	Class 1	Class 1

Determine the level of barrier protection you need, taking into account factors such as procedure duration, amount of fluid or aerosol involved, and standard precautionary measures.

ASTM LEVEL 1*

- Low-risk exams
- Operatory cleaning/maintenance
- Orthodontics
- X-rays, impressions
- Lab trimming, finishing, and polishing
- Fluoride application

ASTM LEVEL 2*

- Limited oral surgery
- Endodontics
- Prophylaxis
- Bleaching/whitening treatments
- Restoratives/composites
- Sealants
- Scaling and root planing

ASTM LEVEL 3*

- Complex oral surgery
- Crown preparation
- Periodontal procedures
- Implants
- Using ultrasonic scalers
- Using high-speed hand piece
- Laser based applications


Form and function

Medicom offers a variety of general purpose, procedure and surgical masks in all three ASTM levels, and NIOSH-certified N95 surgical respirators. Our masks are not made with natural rubber latex and will not lint or tear during use.

<p>Utility Face Mask</p>  <p>For general purpose use. Not for clinical procedures.</p>	<p>Surgical Tie-on Face Mask</p>  <p>For dental/clinical procedures.</p>	<p>Procedure Earloop Face Mask</p>  <p>For dental/clinical procedures.</p>	<p>Surgical N95 Respirator</p>  <p>For treating patients with known or suspected aerosol transmissible diseases.</p>
--	--	---	--

*Illustrative list based on publicly available data and information on common practice. Use clinical judgment for final selection of proper protection needed.

ANATOMY OF A FACE MASK



Construction



Shingle pleats



Omega pleats
(larger air pocket)



3D fit



Window

Specialty considerations

3D Fit



Greater coverage

Window



Speechreading enabled

Larger Air Pocket



Better breathability

Innovative Filter



Lightweight

Tangle-Free Dispensing



Workflow efficiency

Skin Friendly



Designed for sensitive skin

Moisture Wicking



Prevents moisture build-up

Ultra-Soft Inner Layer



Added comfort

Fog-Free Strip



Prevents fogging

Adjustable Chin Strip



Personalized fit

MASKS AS INDIVIDUAL AS YOU



SafeMask® Curve



ASTM Level 3	
220114	<input type="checkbox"/>
220115	<input type="checkbox"/>

25/box, 8 boxes/case, 200/case



SafeMask® Artisan

Summer 2025



ASTM Level 2	ASTM Level 3
221315	221415 <input type="checkbox"/>
	221492 <input type="checkbox"/>
	221414 <input type="checkbox"/>

50/box, 10 boxes/case, 500/case



SafeMask® Vision

Summer 2025



ASTM Level 3	
221514	<input type="checkbox"/>

50/box, 10 boxes/case, 500/case



SafeMask® SofSkin



Level 3



ASTM Level 1	ASTM Level 3
2080	2086 <input type="checkbox"/>
2081	2087 <input type="checkbox"/>
2082	2088 <input type="checkbox"/>
2083	2089 <input type="checkbox"/>

50/box, 10 boxes/case, 500/case



SafeMask® SofSkin Fit



ASTM Level 3
219914 <input type="checkbox"/>

50/box, 10 boxes/case, 500/case



SafeMask® SofSkin Clear Fit



ASTM Level 3
220014 <input type="checkbox"/>

50/box, 10 boxes/case, 500/case



SafeMask® TailorMade



ASTM Level 1	ASTM Level 3
2070	2072 <input type="checkbox"/>

50/box, 10 boxes/case, 500/case



SafeMask® FreeFlow



ASTM Level 1	ASTM Level 2	ASTM Level 3
200311		200511 <input type="checkbox"/>
200315	200415	200515 <input type="checkbox"/>
200316	200416	200516 <input type="checkbox"/>
		200514 <input type="checkbox"/>

50/box, 10 boxes/case, 500/case



SafeMask® Master Series



ASTM Level 1	ASTM Level 2	ASTM Level 3
2050		2058 <input type="checkbox"/>
2051	2056	2059 <input type="checkbox"/>
2052		2057 <input type="checkbox"/>
2054		
	2055	

50/box, 10 boxes/case, 500/case



SafeMask® Premier (Family)



SafeMask® Premier Elite ProShield



Midnight

ASTM Level 1	ASTM Level 2	ASTM Level 3
2010		2047 <input type="checkbox"/>
2011		2044 <input type="checkbox"/>
2015	2040	2042 <input type="checkbox"/>
2016		2046 <input type="checkbox"/>
2017		<input type="checkbox"/>
2018		2043 <input type="checkbox"/>

50/box, 10 boxes/case, 500/case

ASTM Level 3
204215 <input type="checkbox"/>
204216 <input type="checkbox"/>
2025 <input type="checkbox"/>

25/box, 4 boxes/case, 100/case

ASTM Level 1	ASTM Level 2	ASTM Level 3
213792 <input type="checkbox"/>	213892 <input type="checkbox"/>	213992 <input type="checkbox"/>

50/box, 10 boxes/case, 500/case



SafeMask® Classics



AssureMask® Precision



SafeMask® Tie-On

ASTM Level 1	ASTM Level 2	ASTM Level 3
205115 <input type="checkbox"/>	205215 <input type="checkbox"/>	205315 <input type="checkbox"/>
205116 <input type="checkbox"/>	205216 <input type="checkbox"/>	205316 <input type="checkbox"/>
205117 <input type="checkbox"/>	205217 <input type="checkbox"/>	205317 <input type="checkbox"/>
205114 <input type="checkbox"/>	205214 <input type="checkbox"/>	205314 <input type="checkbox"/>

50/box, 10 boxes/case, 500/case

ASTM Level 1	ASTM Level 2	ASTM Level 3
206815 <input type="checkbox"/>	207015 <input type="checkbox"/>	207115 <input type="checkbox"/>
206818 <input type="checkbox"/>	207018 <input type="checkbox"/>	207118 <input type="checkbox"/>
206814 <input type="checkbox"/>	207014 <input type="checkbox"/>	207114 <input type="checkbox"/>

50/box, 10 boxes/case, 500/case

ASTM Level 1
2000 <input type="checkbox"/>

50/box, 6 boxes/case, 300/case



SafeMask® Junior



SafeMask® Cone

ASTM Level 1
2035 <input type="checkbox"/>

50/box, 10 boxes/case, 500/case

2020
<input type="checkbox"/>

50/box, 12 boxes/case, 600/case



Order your
FREE samples

FIND YOUR MATCH

Procedure Masks



	ASTM protection level	Construction*	Innovative filter	Skin friendly	Moisture wicking	Fog-free strip	Adjustable chin strip	Ultra-soft inner layer	Colors
SafeMask® Curve	L3	3D fit							● ○
SafeMask® Artisan	L2, L3		●						○ ● ●
SafeMask® Vision	L3	Window	●						○
SafeMask® SofSkin	L1, L3			●	●				○ ● ● ●
SafeMask® SofSkin Fit	L3			●	●		●		○
SafeMask® SofSkin ClearFit	L3			●	●	●	●		○
SafeMask® TailorMade	L1, L3						●		●
SafeMask® FreeFlow	L1, L2, L3	Omega pleats				●			○ ● ● ●
SafeMask® Master Series	L1, L2, L3						●		● ● ● ● ● ●
Midnight	L1, L2, L3								●
SafeMask® Premier (Family)	L1, L2, L3								● ● ● ● ● ●
SafeMask® Premier Elite ProShield (with visor)	L3								● ● ● ●
SafeMask® Classics	L1, L2, L3								○ ● ● ● ●
SafeMask® Junior (pediatric)	L1								●

Other Masks



	ASTM protection level	Construction*	Innovative filter	Skin friendly	Moisture wicking	Fog-free strip	Adjustable chin strip	Ultra-soft inner layer	Colors
AssureMask® Precision	L1, L2, L3					●			● ● ● ○
SafeMask® Tie-On	L1								●
SafeMask® Cone	N/A	Cone							●

*Shingle pleats, unless indicated otherwise.


SURGICAL N95 RESPIRATORS

Adjustable nose piece

Unique single-split comfort bands

Lightweight, breathable construction

High-quality materials and duck-bill shape



SafeMask Architect Pro delivers the highest standards protection without compromise to comfort.

Test Method	Results
Biocompatibility: cytotoxicity, skin sensitization and skin irritation ISO 10993-5, ISO 10993-10 and ISO 10993-23	Complies with the standard
Particulate filter efficiency (PFE) 42 CFR 84	≥ 95 %
Airflow resistance 42 CFR 84	Inhalation < 35 mm H ₂ O Exhalation < 25 mm H ₂ O
Fluid resistance (resistance to penetration by synthetic blood) ASTM F1862	Level 2: 120 mm Hg
Flammability 16 CFR 1610	Class 1 - Complies
Fit CAN/CSA Z94.4	A combination of all sizes fits > 90% of users

Regulations require respirator users to be fit-tested to confirm that the respirator forms a tight seal around the face before using it in the workplace.



Scan to learn more about fit testing and/or to access step-by-step videos, sizing guides, donning and doffing instructions and more.

SafeMask® Architect Pro™



NIOSH-certified respirator that filters out 95% of particulate aerosols free of oil

203214	Small	<input type="checkbox"/>
203314	Medium	<input type="checkbox"/>
203414	Large	<input type="checkbox"/>

50/box, 10 boxes/case, 500/case





Agility & diversification.
Globally connected.

Dental USA
medicom.com | 1-800-361-2862

Rev.02 March 2025
©2025 AMD Medicom Inc. All rights reserved.